

RF Surge Protector SPD, Reverse Polarity TNC F/F, DC - 6GHz, 60 V Max., 10kA, Gas Discharge Tube



GTH-RPTFF-AL

Features

- Broadband Performance from DC to 6 GHz
- Repetitive Lightning Strike Capability
- Bi-directional Protection
- Replaceable Gas Tube for Installation Longevity
- Robust Brass Construction

Applications

- WiFi
- Wireless Base Stations
- Automotive
- Avionics
- Military Communications

Description

RF surge protector (also known as lightning arrestor) GTH-RPTFF-AL from PolyPhaser utilizing a gas discharge tube design to protect critical hardware while maintaining the RF performance. This RF surge protector component is manufactured in a coaxial in-line design with wide operating frequency range. PolyPhaser RF surge protector products are available in stock with same day shipping.

Electrical Specifications

Surge Protector Type	Gas Discharge Tube			
DC Handling	DC Pass			
Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		6	GHz
Impedance		50		Ohms
VSWR		1.2:1	1.43:1	
Insertion Loss		0.4	0.9	dB
Operating Voltage (DC)			60	Volts
Input Power, CW			200	Watts
Surge Current			5	kA
IEC 61000-4-5 8/20μs				
Turn On Voltage	180			Volts

Mechanical Specifications

Size	2.1 in [53.34 mm]
Length	0.9 in [22.86 mm]
Width/Diameter	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[RF Surge Protector SPD, Reverse Polarity TNC F/F, DC - 6GHz, 60 V Max., 10kA, Gas Discharge Tube GTH-RPTFF-AL](#)

RF Surge Protector SPD, Reverse Polarity TNC F/F, DC
- 6GHz, 60 V Max., 10kA, Gas Discharge Tube



GTH-RPTFF-AL

Height	1.2 in [30.48 mm]
Weight	0.25 lbs [113.4 g]
Housing Material and Plating	Brass, Nickel
Configuration	
Input Connector	TNC Female Reverse Polarity
Output Connector	TNC Female Reverse Polarity

Environmental Specifications

Temperature	
Operating Range	-40 to +85 deg C

Plotted and Other Data

Notes:

PolyPhaser protects and increases the reliability of global RF communications networks, including transportation, telecommunications, defense, security and industrial applications, with superior RF surge protection technologies including DC Block, DC Pass and Ultra Low PIM. Backed by responsive service and expert technical support PolyPhaser continually expands its product offering and services to serve engineers' urgent needs for RF components in mission critical communication networks.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [RF Surge Protector SPD, Reverse Polarity TNC F/F, DC - 6GHz, 60 V Max., 10kA, Gas Discharge Tube GTH-RPTFF-AL](#)

URL: <https://www.polyphaser.com/GTH-RPTFF-AL-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. PolyPhaser reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. PolyPhaser does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and PolyPhaser does not assume any liability arising out of the use of any part or documentation.

GTH-RPTFF-AL CAD Drawing

