

8
7
6
5
4
3
2
1
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYPHASER, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYPHASER, INC. IS PROHIBITED.


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	08/17/21	PHOSPODAR

D

WIRING MAP

PAIR	LC	1X24	REF DES
P1	1	1	
	13	13	
P2	2	2	
	14	14	
P3	3	3	
	15	15	
P4	4	4	
	16	16	
P5	5	5	
	17	17	
P6	6	6	
	18	18	
P7	7	7	
	19	19	
P8	8	8	
	20	20	
P9	9	9	
	21	21	
P10	10	10	
	22	22	
P11	11	11	
	23	23	
P12	12	12	
	24	24	

J1



PART NUMBER	METERS (FEET)
MPF24SM-20LCR-1	1.0 (3.28)
MPF24SM-20LCR-3	3.0 (9.84)
MPF24SM-20LCR-5	5.0 (16.40)
MPF24SM-20LCR-10	10.0 (32.81)

NOTES:

1. CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
2. CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN A CLEAR POLY BAG AND LABELED.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES [mm]

OVERALL CABLE LENGTH TOLERANCE:
 ≤ 12 [305] = $+1$ [25] / -0
 > 12 [305] ≤ 60 [1524] = $+2$ [51] / -0
 > 60 [1524] ≤ 120 [3048] = $+4$ [102] / -0
 > 120 [3048] ≤ 300 [7620] = $+6$ [152] / -0
 > 300 [7620] = $+5\%$ / -0

ALL OTHER DIMENSIONAL TOLERANCES:

$.X = \pm .2$ [5]
 $.XX = \pm .02$ [5]
 $.XXX = \pm .005$ [1.3]

FRACTIONS
 $\pm 1/32$
 ANGLES $\pm 1^\circ$

THIRD-ANGLE PROJECTION

CONFIGURATION DETAILS OF
UNDIMENSIONED FEATURES
MAY VARY

COLOR VARIATIONS
MAY OCCUR

APPROVALS

DATE

DRAWN BY

DFRISIELLO

08/17/2021

CHECKED BY

PHOSPODAR

08/17/2021

APPROVED BY

PHOSPODAR

08/17/2021

CATEGORY

PolyPhaser
an INFINITI brand

10701 Airport Road,
Hayden, ID 83835
Phone: 1.208.635.6400
Fax: 1.208.955.2041

FIBER OPTICS

PRODUCT DESCRIPTION			REV.
SIZE	CAGE CODE	ITEM NO.	
A	30992	MPF24SM-20LCR	A
SCALE: NONE	CAD FILE: MPF24SM-20LCR.SLDDRW	SHEET 1 OF 1	