


8 7 6 5 4 3 2 1
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYPHASER, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYPHASER, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	08/16/21	PHOSPODAR

D

WIRING MAP

PAIR	LC	1X12	REF DES
P1	1	1	P1
	12	12	
P2	2	2	P1
	11	11	
P3	3	3	P1
	10	10	
P4	4	4	P1
	9	9	
P5	5	5	P1
	8	8	
P6	6	6	P1
	7	7	



PART NUMBER	METERS (FEET)
MPM12M4-20LCR-1	1.0 (3.28)
MPM12M4-20LCR-3	3.0 (9.84)
MPM12M4-20LCR-5	5.0 (16.40)
MPM12M4-20LCR-10	10.0 (32.81)

NOTES:

1. CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
2. CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN A CLEAR POLY BAG AND LABELED.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm]	APPROVALS	DATE	PolyPhaser an INFINITI brand	FIBER OPTICS
OVERALL CABLE LENGTH TOLERANCE: <12 [305] = +1 [25] / -0 >12 [305] <60 [1524] = +2 [51] / -0 >60 [1524] <120 [3048] = +4 [102] / -0 >120 [3048] <300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0	DRAWN BY DFRISIELLO	08/16/2021		
	CHECKED BY PHOSPODAR	08/16/2021		
	APPROVED BY PHOSPODAR	08/16/2021		
ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 [5] .XX = ± .02 [5] .XXX = ± .005 [1.3]	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY			
FRACTIONS ± 1/32 ANGLES ± 1°	THIRD-ANGLE PROJECTION	COLOR VARIATIONS MAY OCCUR	SIZE A	CAGE CODE 30992
			ITEM NO. MPM12M4-20LCR	REV. A
		SCALE: NONE	CAD FILE: MPM12M4-20LCR.SLDDRW	SHEET 1 OF 1